



DECLARATION OF PERFORMANCE

No TRI-S195T

1. Unique identification code of the product-type:

TRI-S195T

2. Intended use/es:

Non-Alloy steel tubes suitable for welding and threading

Grade S 195T / 1.0026 Acc. to EN 10255

3. Manufacturer:

TUBOS REUNIDOS INDUSTRIAL, S.L.U.

Bº Sagarribai, 2

01470 Amurrio -Alava-

Website: www.tubosreunidosindustrial.com

Email: inquiry.comercial@tubosreunidos.com

4. System/s of AVCP:

System 3/4

5. Harmonised Standard:

EN 10255:2008



6. Declared performance

S 195T EN 10255

Essential characteristic	Performance			
Tolerances on Dimensions and Shape EN 10255:2008	Outside dimensions	According to Table 2		
	Thickness	±12,5%		
Yield strength	Nominal thickness (mm)	Values		
	All	Min. (MPa)	Max. (MPa)	
		195		
Tensile strength	Nominal thickness (mm)	Values		
	All	Min. (MPa)	Max. (MPa)	
		320	520	
Elongation	Nominal thickness (mm)	Values		
	All	Min. (%)		
		20		
Durability		Element	Max.(%)	
		C	0,2	
		Mn	1,40	
		P	0,035	
		S	0,030	

7. The performance of the product identified above is in conformity with the set of declared performance/s and Annex ZA of EN 1025. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Alejandro Echeita- Quality and Environmental Director

In Amurrio, 23th of September 2020



**TUBOS REUNIDOS INDUSTRIAL, S.L.U.
Bº SAGARRIBAI, 2.
AMURRIO (ALAVA) – SPAIN**

11

**EN 10255:2008
S 195T / 1.0026**

Non-Alloy steel tubes suitable for welding and threading

Tolerances on dimensions and shape:	EN 10255:2008
Elongation:	EN 10255:2008
Tensile strength:	EN 10255:2008
Yield strength:	EN 10255:2008
Impact Properties:	EN 10255:2008
Durability:	EN 10255:2008
Welding Properties:	EN 10255:2008

<http://tubosreunidosindustrial.com/en/calidad-medio-ambiente.php>